





30 series profiles
overview





60x60 profile
Part Number: 439.66

$I_{xy} = 32.52 \text{ cm}^4$
 $W_{xy} = 10.84 \text{ cm}^3$
 $A = 8.03 \text{ cm}^2$
weight = 2.17 kg/m
max. length: 6000 mm



30x60 profile
Part Number: 419.09



$I_x = 17.47 \text{ cm}^4$
 $I_y = 4.73 \text{ cm}^4$
 $W_x = 5.82 \text{ cm}^3$
 $W_y = 3.15 \text{ cm}^3$
 $A = 5.16 \text{ cm}^2$
weight = 1.39 kg/m
max. length: 6000 mm



30x30 profile
Part Number: 419.06



$I_{xy} = 2.44 \text{ cm}^4$
 $W_{xy} = 1.62 \text{ cm}^3$
 $A = 2.79 \text{ cm}^2$
weight = 0.75 kg/m
max. length: 6000 mm

30 series profiles
overview





30x60/90 profile
Part Number: 419.36

$I_x = 20.44 \text{ cm}^4$
 $I_y = 5.53 \text{ cm}^4$
 $W_x = 6.81 \text{ cm}^3$
 $W_y = 3.68 \text{ cm}^3$
 $A = 5.63 \text{ cm}^2$
weight = 1.52 kg/m
max. length: 6000 mm



30x30/180 profile
Part Number: 439.18

$I_x = 2.47 \text{ cm}^4$
 $I_y = 3.11 \text{ cm}^4$
 $W_x = 1.64 \text{ cm}^3$
 $W_y = 2.07 \text{ cm}^3$
 $A = 3.12 \text{ cm}^2$
weight = 0.84 kg/m
max. length: 6000 mm



30x30/90 profile
Part Number: 439.45

$I_{xy} = 2.69 \text{ cm}^4$
 $W_{xy} = 1.79 \text{ cm}^3$
 $A = 3.12 \text{ cm}^2$
weight = 0.84 kg/m
max. length: 6000 mm